

Hello,

We are very pleased to present the following machine for your review and approval:

1985 Eldorado M75-1061

Double Spindle Gun Drill

Number of Gun Drilling Spindles: 2
Capacity with 15" Stroke: 3/4" Diameter
Gun Drilling Diameter Capacity
- Mild Steel: 0.055" - 0.75"
Ball Screw Stroke Length: 15"
Fixture Table: 12" x 24"
Spindle Speeds - Infinitely Variable:
1,445 - 11,740 RPM
Ball Screw Feed Rate: 0.1 - 99.9 IPM
Jog Reverse & Forward Feed Rate: 200 IPM
Right Hand Spindle Motor: 3 HP, 3440 RPM
Left Hand Spindle Motor: 1.5 HP, 1140 RPM
Electrics: 208-230/460v/3Ph/60Hz
Dimensions - Catalog: 75" (L) x 64" (W) x 58" (H)
Weight - Catalog: 4,000 Lbs.

Eldorado F18-1101 High Pressure
Coolant System Specifications:
- Pressure - Variable: 200 - 2000 PSI
- Volume - Variable: 0 - 18 GPM
- Reservoir Capacity: 90 Gallons
- Dimensions - Catalog: 78" (L) x 34" (W) x 34" (H)
- Weight (Dry) - Catalog: 1,000 Lbs.

-EQUIPPED WITH-

Eldorado Model #F-18 High Pressure Coolant System
Mega Flo-Minder Flow Rate Monitor
Spindle Load-Minder
(2) Aerotech Servo Controllers for Variable Frequency Drive Spindles
(2) Servo Feed Motors with Integral Tachometer (Infinitely Variable Feed)
(2) Fixturing Tables (T-Slotted, Way Mounted & Removable) W/ 3 - 1/2" Diameter 3 Jaw Chucks
(2) 8" Buck (6-Jaw) Chucks on Chip Box
Automatic Lubrication System
Misc. Tooling



PRICE.....\$26,900

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Office: (860) 356-4439
Mobile: (207) 205-4761
Email: mike@2spade.com



