

Hello,

We are very pleased to present the following machine for your review and approval:

1994 Harig 618 BALLWAY

Surface Grinder

WIDTH AND LENGTH GROUND 6" X 18"
LONGITUDINAL TRAVEL 18-3/4"
CROSS FEED TRAVEL 6-3/4"
VERTICAL WORKING HEIGHT UNDER 7" WHEEL ... 12"
MAXIMUM GRINDING WHEEL DIAMETER 8"
ELEVATING HANDWHEEL GRAD. 0.0001"
CROSS FEED HANDWHEEL GRAD. 0.001"
SPINDLE SPEED 3,450 RPM
APPROXIMATE MACHINE WEIGHT 1,300 LBS.

-EQUIPPED WITH-

CAST IRON BASE, FOR SOLID MACHINE TOOL BASE
SMOOTH GLIDING CABLE-DRIVE TABLE ON BALL BEARINGS
HARIG 1.5 HP 3/60/208-230-460 VOLT DIRECT DRIVE
"CARTRIDGE TYPE" SPINDLE
V AND FLAT WAY CONSTRUCTION
HARIG "FLO-CLEAN" AUTOMATIC LUBRICATION SYSTEM
"ACU-RITE" "QWIKCOUNT" 2-AXIS DIGITAL READOUT
6" X 18" O.S. WALKER FINE DIVISION "LBP"
ELECTRO-MAGNETIC CHUCK
O.S. WALKER VARIABLE HOLD NEUTROFIER CONTROL
WORK LIGHT
DUST INLET FOR DRY GRINDING
MACHINE IS PRESENTLY WIRED FOR 3/60/230 VOLTS



PRICE.....\$9,500 FOB (Free Truck Loaded)

Best Regards,

Tobin Demos - General Manager



Two Spade Machinery LLC
Office: (802) 518-4161
Mobile: (802) 376-8157
Email: tobin@2spade.com









