

Hello,

We are very pleased to present the following machine for your review and approval:

1996 SWI TRAK TRZ1748P

CNC Tool Room Lathe

Capacities:

Swing Over Bed: 17-11/16"

Swing Over Cross Slide: 10-15/32"

Swing in Gap: 26"

Distance Between Centers: 45"

Spindle:

Spindle Nose: D1-6

Spindle Bore: 2"

Spindle Taper: 1 degree, 29 min., 15 seconds

Taper in Reduction Sleeve: #4 Morse Taper

Spindle Diameter / Front Bearing: 3.15"

Spindle Speeds: 40 to 2,200 rpm, 12 steps

Carriage:

Cross Slide Travel: 9"

Tailstock:

Center Taper: #4 Morse Taper

Quill Diameter: 2-15/16"

Quill Travel: 6-1/4"

Bed:

Width: 11-7/8"

Length: 65" w/ 9-3/4" gap

General:

Motor: 7.5 Horsepower

Electrical: 208 / 230 / 460 Volt, Three Phase, 60 Hz

Overall Dimensions: 90" x 42" x 64" tall

-EQUIPPED WITH-

Proto Trak LX2 control

3 & 4 jaw chucks

Misc. tooling

Quick Switch Tool holder with inserts



PRICE.....\$14,500

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC

Mobile: (207) 300-3649

Email: mike@2spade.com



