

Hello,

We are very pleased to present the following machine for your review and approval:

1999 Okuma Crown L1060 762SBB

Big Bore CNC Lathe

Max Swing Over Bed: 21.65"
Max Swng Over Saddle: 15.75"
Max Turning Diameter: 10.63"
Max Turning Length: 19.68"
Spindle Speeds: 65-3,500 Rpm
Spindle Drive: 20 Hp
Number Of Steps: Infinitely Variable
Spindle Nose: A2-10" Chuck
Hole Thru Spindle: 3.15"
Hole Thru Draw Tube: 2.63"
Turret Capacity: 12 Stations
Turret Travels (X,z): 7.28" X 20.47"
Rapid Traverse Rate (X/z): 590.55 / 787.4 Ipm
Tailstock Travel: Manual Adjust
Tailstock Quill Diameter / Taper: 3.54" / #5 Mt
Tailstock Quill Travel: 4.72" Max Powered



-EQUIPPED WITH-

Chip Conveyor
Okuma OSP-U10L CNC Control

****Replaced The Actuator, Motor And Motor Drive, In Addition To Aligning The Head Stock And Turret. All The Parts Replace Were New And Done So By Hartwig At About \$25,000.**

PRICE.....\$13,900

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Mobile: (207) 300-3649
Email: mike@2spade.com

