

Hello,

We are very pleased to present the following machine for your review and approval:

2001 Brother TC-32A

CNC Drill and Tap Center

Table Working Surface: 21.7" x 13.8"

X-Axis Travel: 17.7"

Y-Axis Travel: 12.6"

Z-Axis Travel: 16.1"

Spindle Taper: 30

Spindle Speed: 16000 RPM

Tool Changer Positions: 26 ATC

Rapid Traverse Rate: 2756 Ipm

-EQUIPPED WITH-

Brother CNC-B00 Control

Quick Table (Two Surface Pallet Changer)

High Pressure Coolant Through Spindle

26 Position Side Mount ATC

(2) Yukiwa 4th CNC Rotary Table

Chip Conveyor, Manual Pulse Generator

Yamazen Vega 1002 Rapid Feed Coolant System/8GPM/1000 PSI



PRICE.....\$24,500

Best Regards,

Mike Heim - Sales Manager




Two Spade Machinery LLC

Office: (860) 356-4439

Mobile: (207) 205-4761

Email: mike@2spade.com



VERSION

•VERSION

MAIN MA1-51-14

•KEY CODE LIST

00000000000000

00000000000000

SLAVE SA1-11-11

00000000000000

LOCAL LA2-51-18

00000000000000

SEQ (S)

00000000000000

SEQ (U)

00000000000000

PARAMETER CHANGE 0
(0:NO 1:YES) :

POWER ON TIME
550SS:01:41

•ATC MAINT. MD 0

RUNNING TIME
13237:35:24

•DISPLAY TEST 0

•MAINT. INPUT

PARAMETER CHANGE →
5066.17 **M SERVO TBATT DROP)

I/O
MENU