

Hello,

We are very pleased to present the following machine for your review and approval:

2001 Mori Seiki SL-204SMC

CNC Live Tool Turning Center

Bar Capacity: 2½"
Chuck Size: 8"
Spindle Speed: 4,500 RPM
Spindle Motor: 15 HP
Spindle Bore: 2.9"
Sub Spindle Motor: 10 HP
Sub Spindle Speed: 6,000 RPM
X Axis Travel: 9.3"
Z Axis Travel: 20.5"
C Axis Indexing: 0.001°
Rapid Rate Z Axis: 708 IPM
Turret Tools: 12 Station
Rapid Rate X Axis: 945 IPM
Max Turning Dia: 15.3"
Max Turning Length: 12.7"
Max Swing: 26.8"
Dimensions: 92" x 74" x 74"
Weight: 11,000 LBS

-EQUIPPED WITH-

Mori Msg-805 Control
Sub Spindle
C Axis
Live Tooling
Chip Conveyor
Tool Setter Eye
LNS Servo Bar Feeder
Parts Catcher



PRICE.....\$19,900

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Office: (860) 356-4439
Mobile: (860) 538-7814
Email: mike@2spade.com





ELECTRICAL RATING				
MACHINE MODEL:	SL-204SMC			
SERIAL NO	SL200AI1507			
PHASE	3			
FREQUENCY	60	Hz		
VOLTAGE	AC	220	V	
FULL LOAD CURRENT	125	A		
CURRENT RATING OF THE SPINDLE MOTOR	98	A		
INTERRUPTING CAPACITY	5	kA		
ELECTRICAL DIAGRAM NO.	SL200AI1507			
RATEDPOWER	43	kVA		
MASS OF MACHINE	4500	kg		
Factory ID is #	2			
DATE	9	M	2001	Y
NARAI SENKI CO., LTD. 362 IDONO-CHO, YAMATO-KORIYAMA CITY, NARA 639-1183, JAPAN				
MADE IN JAPAN				