Hello,

We are very pleased to present the following machine for your review and approval:

2003 FANUC ALPHA 0iB-AWF

CNC Wire Type EDM



X-AXIS Travel: 12.6" (320.04 mm)

Y-AXIS Travel: 8.7" (220.98 mm)

Z-AXIS Travel: 7" (177.8 mm)

-EQUIPPED WITH-

Fanuc CNC Control

Auto Threading (AWF)

Submerged Cutting

PRICE.....$24,900

Best Regards,

Mike Heim - Sales Manager


Two Spade Machinery LLC
Mobile: (207) 300-3649
Email: mike@2spade.com


LPN
4/5



LPN
3/5


PLEASE LEAVE POWER ON



FANUC
LPN
1/5
FANUC
ROBODRILL
α-0i


ALARM-001 REVERSE ALARM
TIME
CONSUMABLE LIFE
ITEM REMAIN LIFE
ELECTRODE PIN
GUIDE
FILTER
ION EXCHANGER
STRAINER
CLEAN SEAL PLATE
GREASE AXIS
MACHINE RUN HOURS
ALARM
DIAGNOSTIC
LIFE HOURS
FILTER
SELECT


WARNING
WARNING




FANUC Series 30i/a-WB
PLEASE LEAVE POWER ON


FANUC ROBOCUT α-0iB
TYPE A04B-0313-B011#U5
NO. P 039B0687
DATE 2003-09
POWER SUPPLY
AC200V+10%-10% 3-phase 50/60Hz±1Hz
AC220V+10%-10% 3-phase 60Hz±1Hz
FANUC LTD
MADE IN JAPAN
COVER
GREASE GUN
MOVE X, Y AXIS TO THE FOLLOWING MACHINE COORDINATE POSITION AND APPLY GREASE.
α-0iB


TRIMS
FANUC α-0iB