

Hello Edgar,

We are very pleased to present the following machine for your review and approval:

2004 Daewoo PUMA 300B

CNC Turning Center

Bar Capacity: 3.03"

Center Distance: 25.6"

Chuck Diameter: 10"

Rapid Traverse (X): 787 IPM

Rapid Traverse (Z): 944 IPM

Spindle Motor Cont.: 22/18 HP

Spindle Nose: A2-8

Spindle Speed: 3500 RPM

Swing: 22.44"

Travel (X): 11.1"

Travel (Z): 26.8"

Turning Diameter: 15.7"



-EQUIPPED WITH-

Fanuc 21i-TC CNC Control

12 Station Turret

3 Jaw Chuck

Chip Conveyor w/ New Conveyor Belt

Tool Presetter

Misc. Tool Holders

PRICE.....\$32,500

Best Regards,

Tobin Demos - General Manager




Two Spade Machinery LLC

Office: (802) 518-4161

Mobile: (802) 376-8157

Email: tobin@2spade.com



PARAMETER(TIMER/PART COUNT)	
6750 POWER ON TIME	1891615
6751 OPERATING TIME	56616
6752	720828
6753 CUTTING TIME	32480
6754	630424
6755 TMRON ON TIME	0
6756	0
6757 CYCLE TIME	0
6758	0

F 0.00 INCH/M
 PART COUNT 187855
 RUN TIME 12013H48M CYCLE TIME 0H 0M 0S
 S 0 L 0%
 HND ***** 18:43:01



CE TURNING CENTER
 MODEL : PUMA 300B
 SERIAL NO. : PM301528

POWER SOURCE : AC200/220V, 3Ø, PE, 50/60HZ
 RATED CAPACITY : 40.01 kVA
 LARGEST LOAD : 18.5 kw
 FULL LOAD CURRENT : 104.99 A
 INTERRUPTION CAPACITY : 17000 A
 ELECTRIC DRAWING EDITION : PM35468BA04
 MASS : 5860 kg
 MANUFACTURED : 2004.02. MADE IN KOREA

Main overcurrent protection provided at machine supply terminals.

DAEWOO
 DAEWOO HEAVY INDUSTRIES & MACHINERY LTD.
 601-3, Namsan-dong, Changwon, Korea
 L31683054/ENGLISH



