Hello,

We are very pleased to present the following machine for your review and approval:

# 2004 Haas SL-30T

## CNC Turning Center



**Bar Capacity: 3.00" (76 mm)**
**Max Turning Diameter: 17.00" (432 mm)**
**Max Turning Length: 34.00" (864 mm)**
**Swing Over Bed: 30.00" (762 mm)**
**Swing Over Front Apron: 30.00" (762 mm)**
**Between Centers: 39" (991 mm)**
**Spindle Bore: 3.50" (88.9 mm) A2-8**
**Spindle Motor: 30 HP (22.4 kW)**
**belt-driven constant surface speed**
**Max Spindle Speed: 3,400 RPM**
**Torque: ~850 ft-lb @ 250 RPM**
**(optional transmission)**
**Max Power Rating: 30 HP**
**Rapid Traverse: ~710-945 IPM**
**depending on source**
**Turret: 12-station hydraulic turret**
**with bolt-on tool change**
**Weight: ~14,000 lbs**
**Dimensions: ~162" x 64" x 75"**

## -EQUIPPED WITH-

**Haas CNC Control (full conversational operation)**
**10" hydraulic chuck**
**Programmable hydraulic tailstock**
**Single-piece cast iron bed with box ways**
**Chip Auger**

**PRICE.....$14,900**

Best Regards,

**Mike Heim - Sales Manager**

*Two Spade Machinery LLC*
*Mobile: (207) 300-3649*
*Email: mike@2spade.com*




HAAS
SPINDLE LOAD
EMERGENCY STOP
FD 0.0
SP 0
RESET
DISPLAY
OVERRIDES
CYCLE START
FEED HOLD










YETI