

Hello,

We are very pleased to present the following machine for your review and approval:

2004 Matsuura ES-800V Vertical Machining Center

X AXIS TRAVEL: 31.49" 800mm
Y AXIS TRAVEL: 21.65" 550mm
Z AXIS TRAVEL: 19.68" 500mm
TABLE WORKING SURFACE:
45.27" x 21.65" 1150mm x 550mm
TABLE SURFACE TO SPINDLE:
5.9" - 25.59" 150mm - 650mm
DISTANCE SPINDLE CENTER TO COLUMN:
23.23" 590mm
SPINDLE SPEED RANGE: 40 - 20,000 RPM
SPINDLE TAPER: BT 40
MAX. SPINDLE TORQUE: 187 Nm/1,120 min
-RAPID TRAVERSE RATES-
X & Y AXIS: 1969 IPM 50000mm
Z AXIS: 1181 IPM 30000mm
TOOL CHANGER: 30 ATC
MAX. TOOL DIAMETER: 3.77/6.88" 96/175mm
MAX. TOOL LENGTH: 13.7" 350mm
MAX. TOOL WEIGHT: 22LBS. 10kg
TOOL CHANGE TIME: .9 SEC
MACHINE WEIGHT: 16,000 LBS.

-EQUIPPED WITH-

MATSUURA G-TECH 840DiS FOUR AXIS CONTROL
SYNCH. TAPPING
KOMA RNA-200R FOURTH AXIS ROTARY TABLE
HIGH PRESSURE COOLANT THRU SPINDLE 1000 PSI
COOLANT SYSTEM
CHIP CONVEYOR
15/22 KW SPINDLE MOTOR
ALL AVAILABLE MANUALS



PRICE.....\$25,500

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Office: (860) 356-4439
Mobile: (207) 205-4761
Email: mike@2spade.com





