

Hello,

We are very pleased to present the following machine for your review and approval:

2004 Mazak Nexus Quick Turn 200M

CNC Turning Center

Maximum Swing: 24.02"
Maximum Machining Diameter: 13.78"
Maximum Bar Work Capacity: 2.5"
Maximum Machining Length: 20.161"
X Axis Travel: 7.5"
Z Axis Travel: 21.125"
Chuck Size: 8"
Maximum Speed: 5000 rpm
Spindle Nose: A2-6
Spindle Power: 35 HP
Turret: 12 Stations
Dimensions (LxWxH): 96" x 70" x 72"
Weight (Aprox.): 10,802 Lbs.



-EQUIPPED WITH-

Mazatrol 640T Nexus Control
8" Chuck
12 Position VDI Turret
Tail Stock
Live Tooling
Chip Conveyor

PRICE.....\$24,900

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Office: (860) 356-4439
Mobile: (207) 205-4761
Email: mike@2spade.com



MAZATROL 640T NEXUS

POSITION

File Window Help

POSITION	BUFFER	NEXT COMMAND
X 0.2253	X 0.	G
Z -6.1548	Z 0.	M
C 0.	C 0.	T -

MACHINE	REMAIN	OFFSET
X 0.2253	X 0.	Z 4.035
Z -2.1198	Z 0.	C 8.3
C 0.	C 0.	

TNo. 0 - 0

()

UNIT:

WNo. 10 JAW

() ()

UNo. 0 - 0

COUNTER **** (0)

<MODAL>

S 0 F 0.

G 53 G 0 G 18 G 97 G 22 G121

G 20 G 40 G123 G 80 G13.1 G50.2

G 54 G 64 G 67 G 69 G 99

FEED 0. in/rev SPDL:

XZ 0. in/min

C 0. °/min X-AX:

SPDL 0 rpm Z-AX:

(1) 0 ft/min C-AX:

M-SP. 0 rpm M-SP:

(1) 0 ft/min

TPS 0

2023/01/10

12:50

100%

0rpm

100

CURRENT COUNTER ?

0

WORK No.

C-AX

C-AX CONNECT

C-AX

MACHINE LOCK

WORK LIGHT

SPDL JOG

BARRIER CANCEL

TPS