Hello,

We are very pleased to present the following machine for your review and approval:

2005 Haas SL-10

CNC Turning Center



Max part swing- 16.5"
Max cutting diameter- 12"
Max cutting length- 16"
Bar capacity- 1.75"
Spindle bore- 2.31"
X axis travel- 7.9"
Z axis travel- 16"
Rapids on X- 1200 I.P.M.
Rapids on Y- 1200 I.P.M.
Spindle nose- A2-5
Spindle speed- 6000 R.P.M.
Tailstock taper- #3 Morse
Tailstock quill travel- 3.8"
Turret- 12 Station
Machine is wired for 208/230 volt / 3 phase / 60 H.Z.
Machine weight- 8500 Lbs.
Dimensions- 90" L x 75" W x 80" H

-EQUIPPED WITH-

Haas CNC Control
Control options-
Rigid Tapping, DNC, Quick Code,
Brushless Barfeeder, interface
Machine hours-
Servo time- 18,605, Motion Time 5,142,
Spindle time 7,004
5-C Collet Chuck
Foot pedal
Chip Auger
Leveling pad

PRICE.....$19,900

Best Regards,

Mike Heim - Sales Manager

Two Spade Machinery LLC
Mobile: (207) 300-3649
Email: mike@2spade.com






















HAAS
MODEL
SL-10
HAAS AUTOMATION, INC. OXNARD, CA. 93030
SERIAL NUMBER 71494
DATE OF MFG 10/05
VOLTAGE 208/230
PHASE 3
HERTZ 50/60
FULL LOAD ..... 40 AMPS
LARGEST LOAD ..... 35 AMPS
SHORT CIRCUIT
INTERRUPTING CAPACITY - 10,000 AMPS
WIRING DIAGRAM 96 8710
OVER CURRENT PROTECTION PROVIDED
AT MACHINE SUPPLY TERMINALS.
WARNING
LETHAL VOLTAGES INSIDE CABINET!
DISCONNECT FROM POWER SOURCE
BEFORE OPENING CABINET!
TRAINED SERVICE PERSONNEL ONLY!
MADE IN U.S.A.
P/N 29-7900B REV. G
ETL LISTED
CONFORMS TO
NFPA STD 79
9700845
CERTIFIED TO
CAN/CSA STD C22.2 NO. 73













N00000000
SYSTEM TIME 0:22:52
SERVO ON TIME 18605:50:47
IN MOTION TIME 5142:22:20
SPINDLE TIME 7004:20:55
0:00:14
0:00:00
10-12-2005
21:16:59
VER L06.10N
SL10
FV 1 2.160
F 0.0000
DC 0.0000
DE 0.0037
S 0
SF 0
SCM 5000
SP 00000000
SPIN Z CHAN TRAV 6438
SPIN Z CHAN TRAV 6438
SPIN MOTOR ZCTRA 0
SPIN RPM 0
SPIN MTR ENC RPM 0
UNCLMP MODE 0
TOOL_RELEASE 0
_C_PER_REV 554872
_C_ENC_2_DEG 1393283
MOCON#1: 0003
00000000
12007952
00000000
1003fed2