

Hello,

We are very pleased to present the following machine for your review and approval:

## 2006 Doosan Puma 300LC

### CNC Turning Center

Max Swing Over Bed: 23"  
Max Swing Over Saddle: 14.5"  
Max Turning Length: 50.4"  
Chuck Size: 12" 3-Jaw  
Max Distance Between Centers: 52.8"  
X-Axis (Cross Travel): 11.1"  
Z-Axis (Longitudinal Travel): 52.4"  
X-Axis Rapid Traverse Rate: 787 in/min.  
Z-Axis Rapid Traverse Rate: 945 in/min.  
Tool Turret Positions: 10  
Spindle Nose: A2-11  
Spindle Bore: 4.53"  
Bar Capacity: 4"  
Spindle Speed Range: 10 - 2,800 RPM  
Spindle Power: 35 hp  
Tailstock Taper: #5 MT  
Tailstock Quill Travel: 4.7"  
Tailstock Quill Diameter: 3.97"  
Electrics: 240/3/60  
Dimensions: 168" x 77" x 80"  
Weight: 18,000 LBS

### -EQUIPPED WITH-

Fanuc 21i-TB CNC Control  
RS-232 Port  
12" 3-Jaw Samchully H212 Hydraulic Chuck  
4" Bar Capacity  
Turn Through Steady Rest  
Automatic Tool Presetter  
12 Position Turret  
Tailstock with Programmable Quill  
Foot Pedals  
Chip Conveyor  
Coolant System



PRICE.....\$34,900

Best Regards,

Mike Heim - Sales Manager



*Two Spade Machinery LLC*  
*Mobile: (207) 300-3649*  
*Email: mike@2spade.com*





