

Hello,

We are very pleased to present the following machine for your review and approval:

2006 Hurco VMX64

Vertical Machining Center

Table size: 66" x 35"

X-axis travel: 64"

Y-axis travel: 34"

Z-axis travel: 30"

Weight on table: 5440 Lbs.

Rapid traverse (x/ y/ z):

709/709/530 IPM

Cutting feed rate: 530 IPM

Spindle speed: 8000 RPM

Spindle taper: CAT 50

Main motor: 30 HP

Tool stations: 32 Pockets

Approx. dimensions:

250" L x 180" W x 130" H

Approx. weight: 34,000 Lbs.

-EQUIPPED WITH-

Hurco WinMax Mill CNC Control

Coolant Through Spindle

Chip Conveyor



PRICE.....\$45,000

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC

Mobile: (207) 300-3649

Email: mike@2spade.com

SYSTEM CONFIGURATION	
ADVANCED VIBRATION CONTROL	
ON	Not Installed
HC PRODUCTIVITY PACKS	Not Installed
INDUSTRY STANDARD HC	Not Installed
TOOL PROBING	Not Installed
PART PROBING	Not Installed
RETROFIT KITS	Not Installed
INSERT PACKETS	Not Installed
BLADE RIP	Not Installed
HELICOIL RIP	Not Installed
3D MACH	Not Installed
HC CONVERSATIONAL MACH	Not Installed
SMART SURFACE	Not Installed

SYSTEM CONFIGURATION	
ADVANCED VIBRATION CONTROL	
SELECT SURFACE FINISH QUALITY	Not Installed
TOOL AND MATERIAL LIBRARY	Not Installed
BLADE LIBRARY	Not Installed
HC CONVE. MACHINING	Not Installed
3D CONTOUR	Not Installed
STRAIGHT LOAD	Not Installed
3D LIST	Not Installed
3D PART DESIGN	Not Installed
CENTERLINE PROBING	Not Installed
LOW IN THERMAL CONDUCTION	Not Installed
WOOD	Not Installed
DRILLS	Not Installed
ASSIGNED HC PACKETS	Not Installed

SYSTEM CONFIGURATION	
SYSTEM SPECIFICATIONS	
WORKPIECE CLASS	WORKPIECE
VERTICAL WORKPIECE	1
NUMBER OF Holes PRECISE	1
NUMBER HOLE Holes	25000 7
HIGHER SPINDLE MOTOR SPEED	6000 RPM
HIGHER SPINDLE TOOL SPEED	1000 RPM
HIGHER RAPID TRAVERSE RATE	700 7 TPM

SYSTEM CONFIGURATION	
SOFTWARE VERSION	
WILMINGTON MILL VERSION:	W89.01.312.07
CONSOLE TPM:	121
REMOTE JOG UNIT:	107J



