

Hello,

We are very pleased to present the following machine for your review and approval:

2007 Mori Seiki SL-403BMC/800

CNC Live Tool Turning Center

SWING OVER BED: 28"
SWING OVER CROSS SLIDE: 29.1"
MAX. TURNING DIAMETER: 25.5"
DISTANCE BETWEEN CENTERS: 44.3"
MAX. TURNING DIAMETER: 33.9"
X-AXIS TRAVEL: 13.6"
Z-AXIS TRAVEL: 35.4"
MAX. SPINDLE SPEED: 2,400 RPM
NUMBER OF SPINDLE SPEED RANGES: 2
TYPE OF SPINDLE NOSE: A2-11
THROUGH-SPINDLE HOLE DIAMETER: 5.1"
MIN. INDEXING ANGLE: 0.001
NUMBER OF TOOL STATIONS: 12
SHANK HEIGHT FOR SQUARE TOOL: 1-1/4"
SHANK DIAMETER FOR BORING BAR: 2-1/4"
TURRET INDEX TIME: 0.4 SEC.
MAX. ROTARY TOOL SPINDLE SPEED: 3,000 RPM
RAPID TRAVERSE X/Z: 787/944 IPM
TAILSTOCK TRAVEL: 31.5"
TAPER HOLE OF TAILSTOCK SPINDLE: MT#5
TAILSTOCK SPINDLE TRAVEL: 5.9"
SPINDLE DRIVE MOTOR: 50 HP
ROTARY TOOL SPINDLE DRIVE: 12 HP
ELECTRICAL POWER SUPPLY: 52 KVA
FLOOR SPACE: 160" X 92" X 96.7" TALL
MASS OF MACHINE: 26,400 LBS

-EQUIPPED WITH-

Mori Seiki MSX-500 CNC Control
Chip Conveyor
Live Tooling



PRICE.....\$69,900

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Office: (860) 356-4439
Mobile: (860) 538-7814
Email: mike@2spade.com



