

Hello,

We are very pleased to present the following machine for your review and approval:

2008 Fanuc ROBODRILL ALPHA-T21IFL

CNC Drill and Tap Center

Table Working Surface: 33.46" x 16.1"
Table Load Capacity: 660 LBS
X-Axis (Longitudinal Travel): 27.55"
Y-Axis (Cross Travel): 15.74"
Z-Axis (Vertical Travel): 12.99"
Max Distance Spindle Nose to Table Top: 29.75"
Max Distance Spindle Nose to Trunnion Ctr: 16.25"
Feed Rates, All Axes: 1,181 IPM
Rapid Traverse Rate, All Axes: 2,125 IPM
Spindle Horsepower: 14.5 HP
Max Spindle Speed: 10,000 RPM
Max Spindle Speed For Tapping: 8,000 RPM
Spindle Taper: BT-30
Torque, Up To: 76 Nm
Automatic Tool Changer Capacity (ATC): 21
Tool Change Time: 0.9 Sec Tool-to-Tool
Approximate Machine Dimensions: 68" x 84"
Approximate Machine Height: 116"
Approximate Machine Weight: 5,500 LBS

-EQUIPPED WITH-

Fanuc 31i CNC Control
High Pressure Coolant Through Spindle
Rotary table with Full Tail Support
Large Capacity Chip Tank and Fine Chip System
Multiple Part Program Storage
Rigid Tapping
300mm (11.811") Column Riser
Trunnion Style 90° A-Axis Auto Indexing Table
21 Station Automatic Tool Changer
Hydraulic Part Clamping
Automatic Lubrication
Chip Flush
Automatic Door
Operator Door Safety Light Curtain
JPC Chip Conveyor
Mist Collector and "Built-in" Fines Filter



PRICE.....\$34,900

Best Regards,

Tobin Demos - General Manager



Two Spade Machinery LLC
Office: (802) 518-4161
Mobile: (802) 376-8157
Email: tobin@2spade.com



