

Hello,

We are very pleased to present the following machine for your review and approval:

## 2010 Samsung SL25BMC

### CNC Turning Center

Spindle Nose A2-8

Swing 25.06 inches

Turning Diameter 13.78 inches

Center Distance 20.87 inches

Bar Capacity 3.0 inches

X Axis Travel 8.66 inches

Z Axis Travel 42.91 inches

Spindle Speed (RPM) 3500

Rotary Tool Spindle Speed 5000 rpm

Main Motor 30

X-Axis Rapid Traverse Rate 709

Z-Axis Rapid Traverse Rate 945

Turret Capacity 12

Weight 14400 pounds

### -EQUIPPED WITH-

Tailstock

Live Tooling

Fanuc Control



**PRICE.....\$29,900**

Best Regards,

**Mike Heim - Sales Manager**



**Two Spade Machinery LLC**

**Mobile: (207) 300-3649**

**Email: [mike@2spade.com](mailto:mike@2spade.com)**





06969 N00000

F 0.00 INCH/M

PARTS COUNT 174

RUN TIME 18339H 6M CYCLE TIME 0H 0M56S

SETTING (TIMER)

PART TOTAL = 296847  
PART REQUIRED = 0  
PART COUNT = 174  
POWER ON = 53282 H56 M  
RUN TIME = 18339 H 6 M 43 S  
CUTTING TIME = 14530 H 4 M 42 S  
FREE PURPOSE = 0 H 0 M 0 S  
CYCLE TIME = 0 H 0 M 56 S  
DATE = 2024 / 10 / 15  
TIME = 10 : 39 : 45

A>\_

S 0 T0500

MEM \*\*\*\*\*

10:39:45

OFFSET

SETTIN

WORK

(OPRT)

+