

Hello,

We are very pleased to present the following machine for your review and approval:

2011 DOOSAN PUMA 2600SY

CNC Turning Center

Excellent Condition Low Hours

-only 3,952 Cutting Hours-

Fanuc I series Plus Control

4,000 rpm Main Spindle 10" Chuck Size

6,000 rpm Sub Spindle 8" Chuck Size

5,000 rpm Live Tooling Speed

24 Station BMT-65 Live Tooling Turret

10.2" X-Axis Travels

4.1 ± 2.1" Y-Axis Travels

32.7" Z-Axis Travels

32.7" B-Axis Travels

14.8" Max Turning Diameter

29.9" Max Turning Length

3.2" Through Hole

460 PSI High Pressure Coolant

Automatic Tool Pre-Setter

Parts Catcher & Parts Conveyor

Turbo LNS Chip Conveyor

ATS 580 Bar Feeder

1181 ipm Rapid Traverse X-axis

394 ipm Rapid Traverse Y-axis

1181 ipm Rapid Traverse Z-axis

200 ipm Rapid Traverse C-axis

Box Ways

Coolant Tank and Pump



PRICE.....\$79,750

Best Regards,


Mike Heim - Sales Manager



Two Spade Machinery LLC

Mobile: (207) 300-3649

Email: mike@2spade.com





L31683124D / ENGLISH

CE **TURNING CENTER**

MODEL : PUMA 2600SY
 SERIAL NO. : ML0106-000315

POWER SOURCE : AC200 / 220V, 3Ø . PE, 50 / 60 Hz

RATED CAPACITY : 57.08 kVA
 INTERRUPTION CAPACITY : 25 kA
 FULL LOAD CURRENT : 149.80 A
 SHORT CIRCUIT CAPACITY : 50 kA
 ELECTRIC DRAWING EDITION : P21SY-B31A001

MACHINE WEIGHT : 6450 kg
 DATE OF PRODUCTION : 201106.

Doosan Infracore
 601-3, Namsan-dong, Changwon, Korea

L31683053F, 영어

DOOSAN PUMA (A)

ATS Systems Inc.
 30222 Esperanza
 RSM, CA. 92688

Assembled in the US from international components

MODEL: 580 MFG. DATE: 09-26-2011
 S/N: 222489 800 321 1833

