

Hello,

We are very pleased to present the following machine for your review and approval:

2011 Sharp 2480V

Heavy Duty Gap Lathe

Actual Swing Over Bed: 25"

Swing in Gap: 33"

Swing Over Cross Slide: 14-3/4"

Length of Gap: 20"

Distance Between Centers: 80"

Spindle Bore: 4-1/8"

Spindle Nose: D1-11 CAMLOCK

Spindle Speeds (18): 10 to 1200 RPM

Bed Width: 19"

Threads (Inch): 1/4" to 84 TPI

Threads (Metric): .2 to 112mm

Spindle Drive: 15 HP A.C. Motor



-EQUIPPED WITH-

Newall DP700 2 Axis Digital Readout. IN/MM Threading. Removable Gap.

15" Bison 3 Jaw Chuck. Manual Pump Oiler for Ways. Foot Treadle.

Steady Rest. Coolant System. 20" Face Plate. Chip Pan.

Aloris Tool Post with Holders. Chuck Guard. Threading Dial.

Rear Splash Guard. Halogen Work Light.

PRICE.....\$26,500

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC

Office: (860) 356-4439

Mobile: (860) 538-7814

Email: mike@2spade.com







