

Hello,

We are very pleased to present the following machine for your review and approval:

2012 DOOSAN LYNX 300M

CNC Turning Center

Bar Capacity: 3"
Chuck Size: 10"
Spindle Speed: 3,500 RPM
Spindle Motor: 20 HP
X Axis Travel: 10"
Z Axis Travel: 31.1"
Rapid Rate Z Axis: 1,181 IPM
Turret Tools: 12 Station
Rapid Rate X Axis: 944 IPM
Max Turning Dia: 14.6"
Max Turning Length: 28"
Max Swing: 25.6"
Tailstock Taper: MT-4
Tailstock Quill Diameter.: 3.1"
Tailstock Quill Travel: 4.7"
Dimensions: 117" x 70" x 67"
Weight: 6,834 LBS

-EQUIPPED WITH-

Chip Conveyor
Tool Presetter
Tailstock
Fanuc i Series CNC Control
3-Jaw Hydraulic Chuck





PRICE.....\$39,900


Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Office: (860) 356-4439
Mobile: (860) 538-7814
Email: mike@2spade.com





before servicing.
Servicing by qualified
personnel only.

L31683124D / ENGLISH

TURNING CENTER

MODEL : LYNX300V

SERIAL NO.: ML6032-000275

: AC200 / 220V, 3Ø, PE, 50 / 60 Hz

Y : 25.59 kVA

CAPACITY : 13 kA

URRENT : 67.15 A

IT CAPACITY : 25 kA

WING EDITION : L30MHSICAO3

WEIGHT : 3,100 kg

PRODUCTION : 2012.06.

Doosan Infracore

51-3, Namseon-dong, Changwon, Korea