Hello,

We are very pleased to present the following machine for your review and approval:

2013 Euromac ZX Flex

CNC Turret Punch



Max Punching Force: 33 Tons
Y - Axis Travel: 40"
X - Axis Travel: 50"
Automatic Repositioning in X - Axis: 393"
Stroke Depth: .004" - 1.22"
Opening of Clamps: .275"
Max Hit Rate with .787" Pitch: 375 Per Min
Max Nibbling Rate with .039" Pitch: 1,000 Per Min
Marking Speed: 2,000 IPM
Material Thickness Range: .024" - .314"
Maxmaterial Thickness with Optional Clamps: .492"
Max Material Weight with Reduced Axis Speed: 330 Lbs
Main Motor: 11 HP
Dimensions: 88" X 128"
Weight: 8,800 Lbs

-EQUIPPED WITH-

Euromac CNC Control
Accepts up to a 10 Station Multi Tool
360° Bi-Directional Rotation of Tooling and Brush Table

PRICE.....$49,900

Best Regards,

Mike Heim - Sales Manager


Two Spade Machinery LLC
Mobile: (207) 300-3649
Email: mike@2spade.com



EUROMAC


EUROMAC
BEHRING


EUROMAC


EUROMAC




Machine Information
Tool
Code: 6969
0.004
Multitool
Code: 0
Station: 0
Current Position
X 50.53543
Y 39.68504
C 0.0118°
E 14.17244°
Clamps -230.00000 120.00000
Oil Temperature
14 °C
Counters and Timers
Since Switching on
Total
Hits
0
35616413
Machine on Time
0:01:49
103298:00:36
Operation Time
12748:03:53
Working (Punching) Time
1562:45:02
Job Info
Job Name
0000
Line
1
Hits
0
Time
0:00:00 -- 0:01:49
Sheets Counter
2
Exit


DOUBLE CHECK TOOLING!!!
EUROMAC
EMERGENCY
STOP
START