

Hello,

We are very pleased to present the following machine for your review and approval:

2013 OKUMA LB 3000EX-MY

CNC Turning Center

Swing Over Bed: 22.83"
Turning Diameter: 13.39"
Turning Length: 39"
Distance Between Centers: 40"
Chuck Size 1, 2: 12
Spindle Nose 1, 2: A2 - 8
Bar Capacity 1, 2: 3.15" OPTION
Spindle Speeds 1, 2: 4200 RPM OPTION
Spindle Horsepower 1, 2: 30 HP
X - Axis Travel X1, X2, X3: 10.24"
Z - Axis Travel Z1, Z2, Z3: 39.76"
Y - Axis Travel Y1, Y2, Y3: 4.73"
C - Axis Indexing 1, 2: 0.001
Rapid Traverse Rates X1, X2, X3: 984 IPM
Rapid Traverse Rates Z1, Z2, Z3: 1181 IPM
Turret Tool Positions 1, 2, 3: 12
Turret Rotary Tool Speeds 1, 2, 3: 6000 RPM
Turret Rotary Tool Horse Power 1, 2, 3: 9.5 HP
Tailstock Quill Diameter: 3.54"
Tailstock Taper: MT 5
Tailstock Quill Travel: 4.72"
Tailstock Travel: 15.5"
Machine Weight: 11,600 Lbs.
Spindle Bore: 3.6" OPTION
C - Axis Indexing 1, 2: .001

-EQUIPPED WITH-

OSP P200L CNC CONTROL
TOOL PRESETTER
CHIP CONVEYOR
MISCELLANEOUS STATIC HOLDERS
AUTO PARTS CATCHER
BAR FEED INTERFACE
12" 3-JAW HYDRAULIC CHUCK
(3) I.D. ROTARY HEADS
(2) O.D. ROTARY HEADS



PRICE \$99,000

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Mobile: (207) 300-3649
Email: mike@2spade.com



