

Hello,

We are very pleased to present the following machine for your review and approval:

## 2014 Haas VF-8 Vertical Machining Center

Table Size 64" x 36"

Machine Travels (X/Y/Z) 64" x 40" x 30" Travels

Spindle To Table Distance 4" - 34"

Table Capacity 4,000 LBS

Spindle Taper CT40 or BT40

Spindle Speeds 15,000 Max RPM

Transmission Inline Direct Drive

Rapid Traverse Rate (X/Y/Z) 540 / 600 / 600 IPM

Maximum Cutting Feed Rate 500 IPM

Tool Changer Style Side-Mount Twin-Arm

Tool Changer Capacity 40 Stations

Tool Change Time 2.8 Seconds Tool-to-Tool

Max Tool weight 12 Lbs

Spindle Drive 30 HP Vector Spindle Drive

Approximate Machine Dimensions: 181.00"L x 116.00"W

Approximate Weight: 24000.00 lbs.



### -EQUIPPED WITH-

Haas Maincon CNC Control, 15,000 RPM Max Spindle Speed, Inline Spindle Drive, 40 Station Twin-Arm Automatic Tool Changer, CT 40 Spindle Taper, Haas Probing System with Renishaw Tool and Parts Probes, Auto Air Gun, Auxiliary Coolant Filter, Remote Jog Handwheel, 300 PSI Thru-Spindle Coolant, Chip Auger, Ethernet, 750MB Expanded Memory, High Speed Machining, Programmable Coolant Nozzle, Rigid Tapping, 95 Gallon Coolant Tank and Pump

**PRICE.....\$99,900**


Best Regards,


**Mike Heim - Sales Manager**



**Two Spade Machinery LLC**  
**Mobile: (207) 300-3649**  
**Email: [mike@2spade.com](mailto:mike@2spade.com)**







HAAS AUTOMATION, INC, OXNARD, CA. 93030

SERIAL NUMBER ..... 1118232

DATE OF MFG ..... 11/2014

VOLTAGE ..... 195-260

PHASE ..... 3

HERTZ ..... 50/60

FULL LOAD ..... 80 AMPS

LARGEST LOAD ..... 70 AMPS

SHORT CIRCUIT INTERRUPTING CAPACITY - 10,000 AMPS

WIRING DIAGRAM ..... 96 0284

SHORT CIRCUIT CURRENT 5,000 Amps RMS SYMMETRICAL

ARC FLASH RATING: 208-240VAC MODELS HRC-1,  
360-480VAC MODELS HRC-2.

NEMA TYPE 1 ENCLOSURE-FOR INDOOR USE ONLY.