Hello,

We are very pleased to present the following machine for your review and approval:

2015 Fryer ET-18

CNC Tool Room Lathe



Swing Over Bed 18"
Swing Over Cross Slide 9.125"
Center Height 9.125"
Distance Between Centers 40"
Width of Bed 14"
Width of Cross Slide 8.5"
Cross Slide Travel (X) 10"
Longitudinal Travel (Z) 37"
Max Part Weight - Unsupported 500 lbs
Max Part Weight - Supported w/ S/R 2,500 lbs
SPINDLE
Spindle Nose Camlock D1-6 (D1-8)
Spindle Bore " 2.05"
Spindle Nose Taper MT - 6 MT -
Spindle Motor HP (Peak) 10 HP
Spindle Speed (RPM) 50 - 2,500
Speed Selection Single Gear Range Auto Shift
TAILSTOCK
Quill Travel 5.5"
Quill Diameter 2.5"
Quill Taper Hole MT-5
PERFORMANCE
Positioning Accuracy +/- 0.0002"
Positioning Repeatability +/- 0.0001"
Rapid Traverse (X,Z) 400 IPM
Servo Type AC Digital Brushless
Axis Thrust (Peak) 3,058 lbs. X 3,504 lbs. Z
GENERAL INFO
Air Requirements 90 PSI - 5 CFM
Coolant Capacity 10 Gallons
Coolant Flow 2 GPM
Power Requirements 35 AMP
Voltage Requirements 208-250 VAC 3 PHASE (380-500 VAC Optional)
Shipping Dimensions* (WxDxH) 86"x72"x68"
Operating Dimensions (WxDxH) 86"x74"x68"
Machine Weight 6,500 lbs.

-EQUIPPED WITH-

Touch 2100 CNC Control


PRICE.....$22,900

Best Regards,


Mike Heim - Sales Manager

Two Spade Machinery LLC
Mobile: (207) 300-3649
Email: mike@2spade.com






















ENM
4 7 1 3 2 1
HOURS
1/10


TWO SPEED
AUTOSHIFT
FRYER
EASY TURN










TWO SPEED
AUTOSHIFT
FRYER
EASY TURN