

Hello,

We are very pleased to present the following machine for your review and approval:

2016 Johnford SV-32 Vertical Machining Center

Table-L: 39.4"
Table-W: 19.7"
Max Table Load Capacity: 1,320 lb
X-Axis (Longitudinal Travel): 31.5"
Y-Axis (Cross Travel): 19.7"
Z-Axis (Vertical Travel): 24"
Max Clearance Tabletop to Spindle Nose: 28"
Min Clearance Tabletop to Spindle Nose: 3.94"
Distance Spindle Center to Column: 21.7"
X-Axis Rapid Traverse Rate: 1,181 in/min.
Y-Axis Rapid Traverse Rate: 1,181 in/min.
Z-Axis Rapid Traverse Rate: 787 in/min.
Spindle Power: 15 hp
Max Spindle Speed: 10,000 RPM
Spindle Taper: CAT 40
Automatic Tool Changer Capacity (ATC): 24
Automatic Tool Changer Style: Side Mount Swing-Arm
Machine Hours: 1789
Electrics: 220/3/60
Dimensions: 92.5" x 86.6" x 118.4"
Weight: 14,200 LBS

-EQUIPPED WITH-

Fanuc Oi-MD CNC Control
Remote Manual Pulse Generator
10000 RPM Spindle
24 Station Automatic Tool Changer
Work Light
Full Enclosure Splash Guard
Chip Conveyor & Coolant System.



PRICE.....\$49,500

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Mobile: (207) 300-3649
Email: mike@2spade.com





