

Hello,

We are very pleased to present the following machine for your review and approval:

2017 OKUMA LB3000MYW

CNC Multi-Axis Lathe

SWING OVER BED: 22.83"
MAX CUTTING DIAMETER: 13.39"
MAX CUTTING LENGTH: 31.5"
X-AXIS TRAVEL: 10.24"
Y-AXIS TRAVEL: 4.53" (+2.76" / -1.77")
Z-AXIS TRAVEL: 39.76"
C-AXIS INDEXING: FULL C-AXIS
CHUCK SIZE: 10"
BAR CAPACITY: 3.18"
SPINDLE BORE: 3.59"
SPINDLE NOSE: A2-8
SPINDLE MOTOR: 40 hp
SPINDLE SPEED: 4,200 RPM
SUB SPINDLE: Yes
SUB SPINDLE - CHUCK SIZE: 6"
SUB SPINDLE - SPINDLE BORE: 2.44"
SUB SPINDLE - SPINDLE MOTOR: 15 hp
SUB SPINDLE - SPINDLE SPEED: 6,000 RPM
TURRET CAPACITY: 12
LIVE MILLING: Yes
LIVE MILLING SPEED: 6,000 RPM
Y-AXIS: Yes

-EQUIPPED WITH-

OKUMA OSP-P300LA CONTROL, Y-AXIS, LIVE MILLING
SUB SPINDLE, BIG BORE (3.18" BAR CAPACITY)
10", 3-JAW KITAGAWA HYDRAULIC CHUCK (MAIN SPINDLE)
6", 3-JAW KITAGAWA (B-206) HYDRAULIC CHUCK (SUB SPINDLE)
TOOL PRESETTER, CHIP CONVEYOR, HIGH-PRESSURE COOLANT (1,000 PSI), MP SYSTEMS H-PRESSURE COOLANT UNIT
VARIABLE SPINDLE SPEED THREADING, ADVANCED ONE-TOUCH IGF, SPINDLE SYNC TAPPING, BARFEED INTERFACE
(1) RADIAL LIVE TOOL HOLDER, (1) AXIAL LIVE TOOL HOLDER



PRICE.....\$139,500

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Office: (860) 356-4439
Mobile: (207) 205-4761
Email: mike@2spade.com



