

Hello,

We are very pleased to present the following machine for your review and approval:

2018 Haas ST-30

CNC Turning Center

3,400 RPM A2-6 Spindle

10" 3-Jaw Hydraulic Chuck

21" Max. Part Swing

32.5" Between Centers

15" Max Cutting Diameter

3" Bar Capacity

9.4" X-Axis Travel

32.5" Z-Axis Travel

12-Position Turret

-EQUIPPED WITH-



Automatic Tool Pre-Setter

Programmable Hydraulic Tailstock

Rigid Tapping, Visual Part Programming, User Definable Macros

Spindle Orientation, HAAS Connect Remote Monitoring

Media Display M-Code, Samchully STA-2 Double Steady Rest

Riten USA 43FMA Chuck, Automatic Door, WIFI / Ethernet / Expanded Memory

Foot Pedals, Steady Rest Provision, Jorgensen Chip Conveyor

30 HP Motor, 55 Gallon Coolant Tank and Pump

PRICE.....\$59,750

Best Regards,



Mike Heim - Sales Manager




Two Spade Machinery LLC

Mobile: (207) 300-3649

Email: mike@2spade.com





MODEL

HAAS

ST-30


HAAS AUTOMATION, INC. OXNARD, CA. 93030

SERIAL NUMBER.....

119612

DATE OF MFG.....

04/2018



VOLTAGE.....

208-240

PHASE.....

1

HERTZ.....

50/60

FULL LOAD.....

70

AMPS

LARGEST LOAD.....

85

AMPS

SHORT CIRCUIT INTERRUPTING CAPACITY - 10,000 AMPS

WIRING DIAGRAM.....

95

8284

SHORT CIRCUIT CURRENT - 5,000 AMPS RMS SYMMETRICAL

ARC FLASH RATING: 208 - 240VAC MODELS HRC-1,
360-480VAC MODELS HRC-2

NEMA TYPE 2 ENCLOSURE - FOR INDOOR USE ONLY.
OVER CURRENT PROTECTION PROVIDED
AT MACHINE SUPPLY TERMINALS.

MADE IN USA
P/N 29-10048A REV. B