

Hello,

We are very pleased to present the following machine for your review and approval:

2019 DMG MORI NZX2000-800STY3

Type Of Machine

TRAVEL:

-X AXIS: (X1, X2, AND X3) 8.3"
-Y AXIS: (Y1, Y2, AND Y3) 4.3"
-Z AXIS: (Z1/Z2/Z3) 11.8" / 31.9" / 8.3"

SWING OVER BED: 31.5"

CHUCK SIZE: 8" (2)

MAX DIAMETER BAR CAPACITY: 2.5"

SPINDLE MOTOR (LEFT AND RIGHT): 33.3/30 HP

SPINDLE SPEED (LEFT AND RIGHT): 5000 RPM

SPINDLE NOSE: A2-6

SPINDLE BORE: 2.9"

TOOLS: 16 X 3

TURRET INDEX (SINGLE STEP): 0.2 SECONDS

MACHINE DIMENSIONS (L X W X H):

199.3" X 111.6" X 91.3"

MACHINE WEIGHT: 21,120 LBS

LIVE TOOL MOTOR (T1, T2, AND T3): 10/7.5 HP

LIVE TOOL SPEED (T1, T2, AND T3): 12,000 RPM

MAX DISTANCE BETWEEN SPINDLE NOSE: 44.4"

MAX TURNING DIAMETER (MAX/STD): 12.5" / 7.9"

MAX TURNING LENGTH: 31.8"

RIGHT SPINDLE TRAVEL: 34.3"



-EQUIPPED WITH-

CELOS (F31IB) CNC CONTROL, 21.5" COLOR ERGOLINE TOUCH TFT, TWIN SPINDLES, (3) TURRETS WITH Y-AXIS 6000 RPM MILLING SPEED, COOLANT GUN, CHUCK TOP COOLANT, GEAR SKIVING, GEAR HOBBLING F AIR PURGE (LEFT AND RIGHT SPINDLE), AIR BLOW FOR TOOL TIP (T1, T2, AND T3), ETHERNET CAPABILITY X-AXIS DIRECT SCALE FEEDBACK (X1, X2, X3)m CHIP CONVEYOR (SIDE EXIT SCRAPER TYPE) TOOL PRESETTER (LEFT AND RIGHT SPINDLE), (5) EXTERNAL M-CODES, 3-D COORDINATE CONVERSION TOOL RETRACT AND RECOVER, X-AXIS DIRECTION JIS / ISO, C-AXIS HIGH-PRECISION INDEXING 4 COLOR SIGNAL LIGHT, BUILT IN WORK LIGHT

PRICE.....\$279,500

Best Regards,

Mike Heim - Sales Manager



Two Spade Machinery LLC
Mobile: (207) 300-3649
Email: mike@2spade.com





