

Hello,

We are very pleased to present the following machine for your review and approval:

## 2019 Hurco TM8i

### Vertical Machining Center

X-Axis Travel: 7.99"  
Z-Axis Travel: 21.65"  
Distance Between Centers: 23.49"  
Swing Over Bed: 20.67"  
Swing Over Cross Slide: 11.81"  
Maximum Turning Diameter: 14.02"  
Maximum Turning Length: 20.67"  
Spindle Nose: A2-6  
Spindle Speed: 4,000 RPM  
Spindle Motor Horsepower: 25.48 HP  
Spindle Motor Torque: 133.83 lb-ft @ 1,000 RPM  
Spindle Chuck: 8.2"  
Spindle Bore Diameter: 3.20"  
Draw Tube Diameter: 2.54"  
Rapid Traverse Rate X / Z: 1,181 ipm / 1,181 ipm  
Max Programmable Feedrate: 1,181 ipm  
Least Command Increment: 0.0001"  
Number of Turret Stations: 12

#### -EQUIPPED WITH-

Chip Conveyor  
Tool Presetter  
Hurco CNC Control




PRICE.....\$64,900

Best Regards,

Tobin Demos - General Manager



**Two Spade Machinery LLC**  
Office: (802) 518-4161  
Mobile: (802) 376-8157  
Email: [tobin@2spade.com](mailto:tobin@2spade.com)





Options	State
WINMAX STANDARD PACKAGE	Installed
TOOL PROBING	Installed
ULTIPOCKETS	Not Installed
NC CONVERSATIONAL MERGE	Installed
TOOL AND MATERIAL LIBRARY	Not Installed
UltiMotion	Installed
EXTENDED SHOP FLOOR (ULTIMONITOR)	Installed
REMOTE DATA ADVANCED	Not Installed
THREAD REPAIR	Installed
LINEAR BROACHING	Not Installed
3D DXF IMPORT	Installed
SOLID MODEL IMPORT - STEP	Installed
ACTIVE THERMAL COMP	Not Installed
POLYGON TURNING	Not Installed
HOBBLING	Not Installed

