

Hello,

We are very pleased to present the following machine for your review and approval:

## 2021 Okuma LU-3000EX-MY

### CNC Turning Center

Swing Over Saddle 22.84"  
Distance Between Centers 37.4"  
Maximum Cutting Diameter (U/L) 13.39"/8.66"  
X Axis Travel (Upper/Lower) 10.24"/6.3"  
Z Axis Travel (Upper/Lower) 40.55"/39.96"  
Y Axis Stroke 4.72"  
C Axis Increments 0.001°  
Rapid Traverse Rate X/Z/Y Axes 984/1181/492 Ipm  
Spindle Nose / Spindle Bore A2-8 / 3.59"  
Spindle Speed 42 - 4,200 Rpm  
Spindle Motor 30 Hp  
Live Tool Motor 7.1 Hp  
Live Tool Speeds 45 - 6,000 Rpm  
Turret Capacity (Upper/Lower) 12/8 Stations

#### -EQUIPPED WITH-

Okuma Osp-P300LA-E CNC Control With 15" Lcd Screen  
10" 3-Jaw Chuck With Jaws, Automatic Tool Presetter  
Synchronous Tapping, Parts Ejector, Helical Cutting  
Chuck Miss Detection, Chuck Air Blow, Tailstock Air Blow  
Shower Coolant Type B With Splash Gun, Coolant Combo  
Caron Engineering Autocompensation Software  
Integrated Steady Rest Mounted On Lower Turret  
Auto Parts Catcher, Pitch Error Compensation  
Turret Pos. Comp., Thermal Comp. L2, Nc Torque Limit  
Tool Life Management, Tool Wear Compensation  
Lap 4, Nose-R 2b, Exp. Auto Chamfering, User Task 2  
Chuck Grasp Confirmation, Mechanical Door Lock  
Spindle Orientation, 3d Animation, Mist Collector  
Standard Coolant System With Tank And Pump  
Right Hand Discharge Lift-Up Type Chip Conveyor  
Fully Enclosed Splash Guarding & Enclosures  
All Available Tooling, All Available Manuals



**PRICE.....\$325,000**

Best Regards,

**Mike Heim - Sales Manager**



**Two Spade Machinery LLC**  
**Office: (860) 356-4439**  
**Mobile: (207) 205-4761**  
**Email: mike@2spade.com**



