Hello,

We are very pleased to present the following machine for your review and approval:

2025 Hurco TMX8MYi

CNC Live Tool Lathe



Travels
X-Axis 8.0"
Z-Axis 22"
W-Axis Tailstock / 25.2"
Y-Axis ±2.2"
Distance Between Centers 29.7"
Swing Over Bed 20"
Swing Over Cross Slide 20"
Max. Turning Diameter 13.2"
Max. Turning Length 20.8"
Spindle
Spindle Nose A2-6
Spindle Speed 4,500 RPM
Spindle Torque 178 ft/lbs
Spindle Motor 37.3 HP
Spindle Chuck 8"
Spindle Bore Diameter 2.53"
Motion
Rapid Feed Rate (X/Z/W/Y) 945/1,181/1,181/472 ipm
Servo Tool Turret
Capacity 12 / Radial
Rotation Bi-Directional
Tool Shank 1.0" x 1.0"
Live Tooling
HP / RPM 8.5 HP / 4,000 RPM
Requirements
Power Consumption 53 KVA
Machine Net Weight 14,520 lbs
Operating Dimensions with Conveyor 209.9" x 124.4" x 100.5"

-EQUIPPED WITH-

Hurco Winmax Dual Screen CNC, Live Tool Turret, Tool Presetter, Tailstock, Chip Conveyor
Parts Catcher, LNS Barfeed Servo 65 with Sleeves and Pushers, Ultipocket, Thread Repair
Chiller, 8" 3-Jaw Hydraulic Chuck, Quick Grip 65 Collet Chuck
Live Holders 3 Axial, 3 Radial, 3 Boring head, 4 OD Holders
Full Compliment of Collets, Under 200 Hours

PRICE.....$139,500


Best Regards,


Mike Heim - Sales Manager

Two Spade Machinery LLC
Mobile: (207) 300-3649
Email: mike@2spade.com


HURCO
TMX8MYi
LNS
QUICK LOAD SERVO 65
LNS




ROTAL


1.000" O.D.


LNS
QUICK LOAD SERVO 65
LNS




HURCO
HURCO


LNS
QUICK LOAD SERVO 65
LNS
TMX8MYi