

Hello,

We are very pleased to present the following machine for your review and approval:

## **Kuraki LC 12-30**

### **Hollow Spindle Engine Lathe**

Swing Over Bedways: 32"

Swing Over Carriage: 20-3/4"

Max Distance Between Centers: 120"

Spindle Speeds: (12) 6 TO 350 RPM

Spindle Nose: A-2-20

Spindle Hole Diameter: 12.6"

Long Feeds: 02 TO 55 IN/REV

Cross Feeds: 1/2 OF LONG

Threads Inch: (47) 1-28 TPI

Threads Metric: (41) 1-28 MM

#### **Carriage:**

NOOF Feeds (50 Steps) Longitudinal ,

002~055IN/REV(05~1MM

Spindle Motor: 30 HP

Tailstock Spindle: 4.3"

Tailstock Taper: MT-#6

Tailstock Spindle Travel: 10"

Voltage: 460 VOLT, 3 Phase

Floor Space: 160" L X 85" W X 55" Tall

Machine Weight: 23,500 LBS

#### **-EQUIPPED WITH-**

- 2- 24" 4 Jaw Chuck Front & Rear

- 14" Roller Type Steady Rest

- Taper Attachment

- New Chip/Coolant Pans

- Quick Change Tool Post



**PRICE.....\$89,900**

Best Regards,

**Mike Heim - Sales Manager**



**Two Spade Machinery LLC**

**Office: (860) 356-4439**

**Mobile: (207) 205-4761**

**Email: mike@2spade.com**



